

DETAILS OF INSPECTION VIOLATIONS

NO.	LOCATION	REF.	POINTS	CRITICAL DESCRIPTION
1	BRAVO PIZZARIA	27	0	No
	THE NON-FOOD CONTACT AREAS ON THE PIZZA OVEN WERE SLIGHTLY SOILED WITH A GREASY RESIDUE.			
	<i>- Corrected immediately during the inspection.</i>			
1	MAIN GALLEY - FOOD SERVICE GENERAL	21	1	No
	LOOSE PEELING SEALANT WAS NOTICED IN THE VENTILATION HOODS THROUGHOUT THE ENTIRE FOOD SERVICE AREAS.			
	<i>- Corrected 24th January 2004.</i>			
2	CAFÉ DE SOL	20	0	No
	THE COMBI-OVEN IS SCHEDULED TO BE REMOVED DURING THE NEXT DRY DOCK.			
	<i>- To be removed during the next dry dock. Shore management is already aware.</i>			
2	MAIN GALLEY- FOOD SERVICE GENERAL	33	1	No
	CRACKED TILES AND MISSING GROUT WAS NOTED THROUGHOUT THE FOOD SERVICE AREAS.			
	<i>- To be done during the next dry dock. Shore management is already aware.</i>			
3	CAFÉ DE SOL - PORT SIDE BUFFET LINE	21	1	No
	THE SNEEZE GUARDS WERE CRACKED AND CHIPPED MAKING THEM DIFFICULT TO CLEAN.			
	<i>- A purchase order has been submitted for replacement of the sneeze guards.</i>			
3	MAIN GALLEY-WAREWASHER	22	0	No
	THE FINAL RINSE TEMPERATURE GAUGE WAS NOT FUNCTIONING.			
	<i>- Corrected 21st January 2004.</i>			
4	HAMBURGER GRILL	29	0	Yes
	A PIECE OF ONIION AND PIECES OF PLASTIC WRAP WERE FOUND IN THE STRAINER OF THE HANDWASH SINK.			
	<i>- Corrected immediately during the inspection.</i>			
4	MAIN GALLEY-WAREWASHER	26	3	Yes
	THREE DISH TRAYS OF BOWLS HAD SEVERAL BOWLS THAT WERE SOILED AND STORED AS CLEAN.			
	<i>- Corrected immediately during the inspection.</i>			
5	COMMENT	*	0	No
	THE LOGS PERTAINING TO FOOD AND ENGINEERING PRACTICES WERE EXCEPTIONAL			
5	MAIN GALLEY	37	0	No
	THE SOUP STATION HAD A LIGHT CONDENSATION BUILDUP ON THE DECKHEAD DUE TO POOR VENTILATION.			
	<i>- To be done during the next dry dock. Shore management is already aware.</i>			
6	CREW GALLEY	37	0	No
	THE SOUP STATION HAD LIGHT CONDENSATION BUILDUP ON THE DECKHEAD DUE TO POOR VENTILATION.			
	<i>- To be done during the next dry dock. Shore management is already aware.</i>			
7	MAIN GALLEY-WAREWASHER	20	0	No
	CHIPPED DISHWARE WAS NOTED ON THE CLEAN STORAGE END OF THE WAREWASHER.			
	<i>- Chipped dishware discarded immediately during the inspection.</i>			
8	CORRECTIVE ACTION STATEMENT	*	0	No
	IN DEVELOPING THE CORRECTIVE ACTION STATEMENT FOR THIS INSPECTION, CRITICAL-ITEM DEFICIENCIES (DESIGNATED WITH YES IN CRITICAL COLUMN (WORTH 3 - 5 POINTS), WHETHER DEBITED OR NOT, SHOULD INCLUDE STANDARD OPERATING PROCEDURES AND MONITORING PROCEDURES IMPLEMENTED TO PREVENT THE RECURRENCE OF THE CRITICAL DEFICIENCY.			
	PREPARE CORRECTIVE ACTION STATEMENT AS A WORD PROCESSING OR SPREADSHEET FILE WHICH WILL BE SENT TO USPHS / VSP AS AN EMAIL MESSAGE ATTACHMENT. PLEASE EMAIL CORRECTIVE ACTION STATEMENT TO: VSP@CDC.GOV			
	USE EMAIL MESSAGE SUBJECT LINE: SHIP NAME - CAS - [INSERT INSPECTION DATE] .			